The Ridges Sanctuary

Paging Doctor Death: Ten Diseases of Native Plants (and Non-Natives, Too)

Brian D. Hudelson Department of Plant Pathology University of Wisconsin-Madison/Extension







Ten Diseases of Native Plants **Powdery Mildews**

- Causes
 - <u>Erysiphe</u> spp.
- Microsphaera spp.
- <u>Uncinula</u> spp.
- Sphaerotheca spp.
- Phyllactinia spp.
- Podosphaera spp.
- Blumeria spp.
- Brasiliomyces spp.

- <u>Oidium</u> spp.
- Ovulariopsis spp.
- Hosts
 - Virtually everything
 - Phlox, bee balm, queen-of-the-prairie, ninebark





Ten Diseases of Native Plants **Powdery Mildews**

- Control
 - Remove diseased plant material and debris
 - Burn (where allowed)
 - · Deep bury
 - · Hot compost
 - Reduce humidity
 - · Plant less densely
 - · Thin existing stands
 - Use resistant cultivars/varieties

Ten Diseases of Native Plants **Powdery Mildews**

- Control
 - Use fungicides to prevent infections
 - · Dinocap, dithiocarbamates, myclobutanil, triadimefon, triforine, thiophanate-methyl, or
 - · Baking soda (1.5 Tbsp/gal) and light weight horticultural oil (3 Tbsp/gal)
 - Alternate active ingredients (FRAC Codes)
 - · Apply when humidity >60-70%
 - · 7-14 day application interval

Ten Diseases of Native Plants Septoria Leaf Spot

- Causes
 - Septoria rudbeckiae
 - Septoria spp.
- Hosts
 - Black-eyed Susan
 - Many other herbaceous plants
 - Tomato
 - Many trees and shrubs

Ten Diseases of Native Plants Septoria Leaf Spot

- Environmental trigger
 - Long periods of leaf wetness



Ten Diseases of Native Plants Septoria Leaf Spot

- Control
 - Remove and destroy infested debris
 - Move plants to new location (?)
 - Use a non-susceptible varieties/plants (?)
 - Space plants far apart
 - DO NOT overhead water
 - DO NOT overmulch
 - Remove infected leaf tissue (?)

Ten Diseases of Native Plants Septoria Leaf Spot

- Control
 - Use fungicides to prevent infections
 - · Copper, chlorothalonil
 - Applications every 7-14 days

Ten Diseases of Native Plants Aster Yellows

- · Pathogen: Aster yellows phytoplasma
- Hosts
 - Many plants in the Asteraceae (aster family)
 - Many other plants in many other plant families
- · Vector: Aster leafhopper





Ten Diseases of Native Plants Aster Yellows

- Control
 - Remove infected plants
 - Control leafhopper vector (?)

Ten Diseases of Native Plants "Cedar-Apple" Rusts

- · Cause: Gymnosporangium spp.
- Hosts
 - Junipers (particularly red cedar)
 - Rosaceous plants: apple, crabapple,
 - hawthorn, quince, pear!
- · Environmental trigger
 - Long periods of needle/leaf wetness



Ten Diseases of Native Plants "Cedar-Apple" Rusts

- Control
 - Grow only junipers or rosaceous hosts
 - Use resistant cultivars/varieties
 - Remove galls
 - Use fungicides to prevent infections
 - Ferbam, triadimeton
 - Mid-May through mid-June (rosaceous hosts)
 - Early July through August (juniper hosts)
 - 7-21 day application interval

Ten Diseases of Native Plants Black Knot

- Cause: Apiosporina morbosa
- Hosts
 - <u>Prunus</u> species
 - Black cherry!
- Environmental trigger
 - Long periods of leaf wetness



Ten Diseases of Native Plants Black Knot

- Control
 - DO NOT plant infected <u>Prunus</u> stock
 - Buy black knot-resistant varieties if available (<u>Prunus</u> 'Accolade', <u>Prunus sargentii</u>, Prunus <u>maackii</u>)
 - Remove volunteer plums/cherries
 - Prune diseased branches
 - DO NOT use fungicides

Ten Diseases of Native Plants Verticillium Wilt

- Causes: <u>Verticillium</u> <u>dahliae</u> <u>Verticillium</u> <u>albo-atrum</u>
- Hosts
 - Many woody ornamentals (maple, ash, redbud, smoke bush)
 - Many herbaceous plants
 - Many vegetables (tomato, potato, eggplant)
- Environmental trigger: Cool, wet weather





Ten Diseases of Native Plants Verticillium Wilt

- Control
 - Use appropriate plants in suspect areas
 - Pine, juniper, fir, spruce
 - Beech, birch, ginkgo, hackberry, hawthorn, hickory, honey locust, mountain ash, white oak, bur oak, poplar, serviceberry, sycamore, willow
 - Pretest soils/mulches/composts
 - Control broad-leaf weeds
 - Avoid municipal mulches

Ten Diseases of Native Plants Verticillium Wilt

- Control
 - Prevent plant stress
 - Prune diseased (wilted) areas
 - Practice good general plant maintenance
 - Remove diseased plants
 - Destroy infected materials
 - Burn
 - Composting (?)

Ten Diseases of Native Plants Oak Wilt

- Cause
 - Ceratocystis fagacearum
 - Chalara sp.
- Hosts
 - Oaks
 - Chinese chestnut
- · Environmental trigger: Cool, wet weather


Ten Diseases of Native Plants Oak Wilt

- Transmission
 - Oak bark beetles
 - Pseudopityophthorus ninutissimus
 - <u>Pseudopityophthorus</u> <u>pruinosus</u>
 - Sap beetles
 - · Carpophilus spp.
- Epuraea spp.

• Clischrochilus spp.

- · Colopterus spp.
- · Cryptarcha spp.
- Root grafts







Ten Diseases of Native Plants Oak Wilt

- Control
 - Avoid pruning or wounding oaks when they are physiologically active
 - Paint wounds as needed
 - Remove diseased (and healthy) oaks
 - Disrupt root grafts
 - Use oak wood appropriately

Ten Diseases of Native Plants Oak Wilt

- Control
 - Use fungicide injections
 - Propiconazole
 - · Prophylactic or therapeutic
 - Every 12-24 months

Ten Diseases of Native Plants Armillaria Root Disease

- · Pathogen: Armillaria spp.
- Hosts
 - Many deciduous trees and shrubs
 - Many conifers/evergreens
- · Environmental trigger: Stress





Ten Diseases of Native Plants Armillaria Root Disease

- Control
 - Reduce stress where possible
 - · Water adequately
 - · Fertilize properly
 - · Control foliar pathogens
 - · Control foliar insect pests
 - DO NOT wound trees
 - Remove Armillaria-infested materials

Ten Diseases of Native Plants Root/Crown Rots

- Causes
 - Pythium spp.
- Phytophthora spp.
- Rhizoctonia solani Fusarium spp.
- <u>Cylindrocarpon</u> spp. <u>Thielaviopsis</u> spp.
- · Hosts: Anything and everything
- · Environmental trigger: Cool, wet weather





Ten Diseases of Native Plants Root/Crown Rots

- Control
 - Moderate soil moisture
 - · Grow plants in the proper site
 - · Use a soil with adequate drainage
 - · Improve drainage in poorly drained soils
 - Add organic matter to improve drainage
 - Use raised beds
 - DO NOT overwater
 - DO NOT overmulch

Ten Diseases of Native Plants Root/Crown Rots

- Control
 - DO NOT move contaminated soil or plants
 - Decontaminate infested tools, pots, work areas
 - Pretest soils/mulches/composts for the presence of root rot fungi
 - Use a soil-less potting mix for containerized plants

Ten Diseases of Native Plants Root/Crown Rots

- Control
 - Use fungicides to prevent infections
 - Etridiazole, metalaxyl, mefenoxam, fosetyl-Al, PCNB, thiophanate-methyl, fludioxonil
 - Use granular formulations if possible
 - · Use during periods of wet weather
 - Use biopesticides to prevent infections
 - Trichoderma, Gliocladium
 - Use in pot production

Ten Diseases of Native Plants Chlorosis

- Cause: Micronutrient (Fe or Mn) deficiency
- Susceptible plants
 - Oaks (especially pin oak)
 - Red Maples
 - Rhododendrons
 - Other woody and herbaceous plants can be affected





Ten Diseases of Native Plants Chlorosis

- Control
 - Plant the right plant in the right location
 - Monitor soil pH and soil nutrients
 - Decrease pH using sulfur or aluminum sulfate
 - Add chelated Fe and/or Mn as needed
 - Make sure trees are adequately watered
 - Minimize damage to tree root systems

Ten Diseases of Native Plants Where to Go for Help

Plant Disease Diagnostics Clinic
Department of Plant Pathology
University of Wisconsin-Madison
1630 Linden Drive
Madison, WI 53706-1598
(608) 262-2863
pddc@plantpath.wisc.edu
http://pddc.wisc.edu
Follow the clinic on Twitter @UWPDDC